Acta Physiol Scand 1993, **149**, 533–536

Author index

AAS, P. *see* ØSTNES, J. E.
ABRAHAMSSON, H. *see* MELLANDER, A.
AGATA, N., TANAKA, H. & SHIGENOBU, K. Developmental changes in action potential properties of the guinea-pig myocardium, 331
AGNATI, L. F. *see* NARVÁEZ, J. A.
AHRÉN, B. *see* DUNNING, B. E.
ALEXANDROV, YU. I., GRINCHENKO, YU. V., LAUKKA, S., JÄRVILEHTO, T., MAZ. V. N. & KORPUSOVA, A. V. Effect of ethanol on hippocampal neurons depends on their behavioural specialization, 105
ALM, P. *see* TØTTRUP, A.
ALSTER, P. *see* UVNÄS-MOBERG, K.
AMTORP, O. *see* HANSEN, J.
ANDERSEN, P. H., LUND, S., SCHMITZ, O., JUNKER, S., KAHN, B. B. & PEDERSEN, O. Increased insulin-stimulated uptake in athletes: the importance of GLUT4 mRNA, GLUT4 protein and fibre type composition of skeletal muscle, 393
ANDERSSON, K.-E. *see* KIRKEBY, H. J.
ANDERSSON, K.-E. *see* TØTTRUP, A.
ANNILA, P. *see* YLI-HANKALA, A.
APERIA, A. *see* NISHI, A.
AQUIRRE, J.A *see* NARVÁEZ, J. A.
ASANO, K. & SAKAI, A. Time-dependently enhanced pressor responses in rat lungs after chronic exposure to high altitude, 323
AUSSEDAT, J. *see* LORTET, S.

BACH, F. W. *see* MATZEN, S.
BALSOM, P. D. *see* ESBJÖRNSSON, M.
BALSOM, P. D. *see* HELLSTEN-WESTING, Y.
BALSOM, P. D., HARRIDGE, S. D. R., SÖDERLUND, K., SJÖDIN, B. & EKBLOM, B. Creatine supplementation *per se* does not enhance endurance exercise performance, 521
BAO, J. X., GONON, F. & STJÄRNE, L. Kinetics of ATP- and noradrenaline-mediated sympathetic neuromuscular transmission in rat tail artery, 503
BERGLUND, B. *see* GRUBBSTRÖM, J.
BERGLUND, B. *see* KAIJSER, L.
BERGLUND, M.-L. *see* FRYKLUND, J.
BERTORELLO, A. M., *see* NISHI, A.
BESTLE, M. H. & BIE, P. Renal effects of urodilatin and atrial natriuretic peptide in volume expanded conscious dogs, 77
BIE, P. *see* BESTLE, M. H.
BIRKELAND, S. *see* HEXEBERG, E.
BIRKELAND, S. *see* RYNNING, S. E.
BJORDAL, E. *see* STEIGEN, T. K.
BJÖRNTORP, P. *see* KUMAGAI, S.
BROOKE, M. H. *see* MAJUMDAR, R.
BRUNET, A. *see* KAHN, J.-F.
BRUZELIUS, G. *see* UVNÄS-MOBERG, K.

CAPITO, K. *see* THAMS, P.
CARLSSON, S., JÒNSDÒTTIR, I. H., SKARPHEDINSSON, J. O. & THORÉN, P. Evidence for an adrenergic innervation of the adrenal cortical blood vessel in rats, 23
CHIBANA, T. *see* OJIRI, Y.
CHRISTENSEN, G. *see* ILEBEKK, A.
CHRISTENSEN, G. *see* LEISTAD, E.
CRISWELL, D. S. *see* LAWLER, J. M.
CWIK, V. A. *see* MAJUMDAR, R.

DELBRO, D. S. & ENGBERG, G. Are there tonically active, inhibitory motor nerves in the guinea-pig gall-bladder?, 247
DESHPANDE, S. B. Potentiation of serotonin-induced contractility of gastric fundus strips in lactating rats, 51
DUNÉR-ENGSTRÖM, M. & FREDHOLM, B. B. Breakdown of membrane choline- phospholipids induced by endogenus and exogenous muscarinic agonist is potentiated by VIP in rat submandibular gland, 41
DUNNING, B. E. & AHRÉN, B. Tissue-specific reduction of galanin content in the pancreas in alloxan diabetes in the mouse, 215

EKBLOM, B. *see* BALSOM, P. D.
EKSTRÖM, J. *see* JANSSON, M.
ENEROTH, P. *see* NARVÁEZ, J. A.
ENGBERG, G. *see* DELBRO, D. S.
ESBJÖRNSSON, M., HELLSTEN-WESTING, Y., BALSOM, P. D., SJÖDIN, B. & JANSSON, E. Muscle fibre type changes with sprint training: effect of training pattern, 245

FÄNDRIKS, L. Measurements of duodenal wall motility, mucosal fluid transport and alkaline secretion. Description and evaluation of a methodological approach in the anaesthetized cat, 59
FLEMSTRÖM, G. *see* SÄFSTEN, B.
FORMAN, A. *see* KIRKEBY, H. J.
FORMAN, A. *see* TØTTRUP, A.
FREDHOLM, B. B. *see* DUNÉR-ENGSTRÖM, M.
FREDHOLM, B. B. *see* JOHANSSON, B.
FRYKLUND, J., MATTSSON, J. P., BERGLUND, M.-L., HELANDER, H. F. & LARSSON, H. Effects of chloride transport inhibitors on intestinal fluid and ion transport *in vivo* and *in vitro*, 365
FUXE, K. *see* NARVÁEZ, J. A.

GANTEN, D. *see* NARVÁEZ, J. A.
GONON, F. *see* BAO, J. X.
GRINCHENKO, YU. V. *see* ALEXANDROV, YU. I.
GRONG, K. *see* RYNNING, S. E.
GRUBBSTRÖM, J., *see* KAIJSER, L.
GRUBBSTRÖM, J., BERGLUND, B. & KAIJSER, L. Myocardial oxygen supply and lactate metabolism during profound arterial hypoxaemia, 303
GULLESTAD, L., HALLÉN, J. & SEJERSTED, O. M. Variable effects of β-adrenoceptor blockade on muscle blood flow during exercise, 257
GUSTAFSSON, H. & NILSSON, H. Rhythmic contractions of isolated small ateries from rat; role of calcium, 283
GUSTAFSSON, L. E. *see* PERSSON, M. G.

HALLÉN, J. *see* GULLESTAD, L.
HANSEN, O. B. *see* JACOBSEN, J.
HANSEN, J., JACOBSEN, T. N. & AMTORP, O. The exercise pressor response to sustained handgrip does not augment blood flow in the contracting forearm skeletal muscle, 419
HÄRFSTRAND, A. *see* NARVÁEZ, J. A.
HARRIDGE, S. D. R. *see* BALSOM, P. D.
HECKMANN, M. *see* LORTET, S.
HEDESKOV, C. J. *see* THAMS, P.
HELANDER, H. F. *see* FRYKLUND, J.
HELLSTEN-WESTING, Y. *see* ESBJÖRNSSON, M.
HELLSTEN-WESTING, Y., BALSOM, P. D., NORMAN, B. & SJÖDIN, B. The effect of high intensity training on purine metabolism in man, 405
HELLSTRÖM, P. M. *see* NILSSON, I.
HERRERA-MARSCHITZ, M. *see* JOHANSSON, B.
HESSEVIK, I. *see* RYNNING, S. E.
HEXEBERG, E. *see* RYNNING, S. E.
HEXEBERG, E. & BIRKELAND, S. The influence of afterload on uniformity of segment shortening in feline left ventricles. Importance of cross-fibre contraction, 153
HÖGESTÄTT, E. D. *see* PETERSSON, J.
HOLMÄNG, A. *see* KUMAGAI, S.

ILEBEKK, A. *see* LEISTAD, E.
ILEBEKK, A., CHRISTENSEN, G., LEISTAD, E. & RUTLEN, D. L. Atrial natriuretic factor increases peritoneal fluid formation in the pig, 121
ISHIGAKI, M. *see* OIKAWA, Y.
IVERSEN, H. *see* MATZEN, S.

JACOBSEN, J., HANSEN, O. B., SZTUK, F., WARBERG, J., KNIGGE, U. & SECHER, N. H. Enhanced heart rate response to haemorrhage by ileus in the pig, 293
JACOBSEN, T. N. *see* HANSEN, J.
JANSSON, E *see* ESBJÖRNSSON, M.
JANSSON, M., NILSSON, B.-O., ROSENGREN, E., EKSTRÖM, J. & LUNDGREN, O. Effects of luminal stimuli on polyamine metabolism in the small intestine of the rat: the role of enteric nerves, 483
JÄNTTI, V. *see* YLI-HANKALA, A.
JÄRVILEHTO, T. *see* ALEXANDROV, YU. I.
JOHANSSON, B. B. *see* WESTERGREN, I.
JOHANSSON, B., HERRERA-MARSCHITZ, M., SVENNINGSON, P. & FREDHOLM, B. B. Caffeine-induced expression of the proto-oncogene c-*fos* in rat striatum is increased after dopamine denervation, 527
JÒNSDÒTTIR, S. *see* CARLSSON, S.
JOOST, H. G. *see* KAINULAINEN, H.
JUNKER, S. *see* ANDERSEN, P. H.

KAHN, B. B. *see* ANDERSEN, P. H.
KAHN, J.-F., PITON, A., LEPAGE, S., BRUNET, A., LAGHA, A. & MONOD, H. Cardiovascular changes during an isometric contraction combined to a cold pressor test, 7
KAIJSER, L. *see* GRUBBSTRÖM, J.
KAIJSER, L., GRUBBSTRÖM, J. & BERGLUND, B. Myocardial lactate release during prolonged exercise under hypoxaemia, 427
KAINULAINEN, H., SCHÜRMANN, A., VILJA, P. & JOOST, H. G. *In-vivo* glucose uptake and glucose transporter proteins GLUT1 and GLUT3 in brain tissue from streptozotocin-diabetic rats, 221
KATOH, A. *see* OIKAWA, Y.
KATZ, R., MAZZOCCHIO, R., PÉNICAUD, A. & ROSSI, A. Distribution of recurrent inhibition in the human upper limb, 183
KIRKEBY, H. J., SVANE, D., POULSEN, J., TØTTRUP, A., FORMAN, A. & ANDERSSON, K.-E. Role of the L-arginine/nitric oxide pathway in relaxation of isolated human penile cavernous tissue and circumflex veins, 385
KNIGGE, U. *see* JACOBSEN, J.
KNIGGE, U. *see* MATZEN, S.
KORPUSOVA, A. V. *see* ALEXANDROV, YU. I.
KORVALD, C. *see* STEIGEN, T. K.
KRÄMER, B. K. *see* SCHRICKER, K.
KUMAGAI, S., HOLMÄNG, A. & BJÖRNTORP, P. The effects of oestrogen and progesterone on insulin sensitivity in female rats, 91
KURKUS, J., THORUP, C., MORSING, P. & PERSSON, A. E. G. Acute renal denervation influences the tubuloglomerular feedback mechanism, 119
KURTZ, A. *see* SCHRICKER, K.

LAGHA, A *see* KAHN, J.-F.
LARSEN, T. S. *see* STEIGEN, T. K.
LARSSON, H. *see* FRYKLUND, J.
LARSSON, B. *see* TØTTRUP, A.
LATHROP, D. A. *see* VARRÓ, A.
LAUKKA, S. *see* ALEXANDROV, YU. I.
LAWLER, J. M., POWERS, S. K. & CRISWELL, D. S. Inducibility of NADP-specific isocitrate dehydrogenase with endurance training in skeletal muscle, 177
LEISTAD, E. *see* ILEBEKK, A.

LEISTAD, E., CHRISTENSEN, G. & ILEBEKK, A. Significance of increased atrial pressure on stroke volume during atrial fibrillation in anaesthetized pigs, 157
LEPAGE, S. *see* KAHN, J.-F.
LINDGREN, L. *see* YLI-HANKALA, A.
LIU, S. M. *see* SUNDQVIST, T.
LNIGGE, U. *see* MATZEN, S.
LORTET, S., HECKMANN, M., AUSSEDAT, J., RAY. A., VINCENT, M., SASSARD, J., ZIMMER, H.-G. & ROSSI, A. Alteration of cardiac energy state during development of hypertension in rats of the Lyon strain: a ^{31}P-MNR study of isolated rat heart, 311
LOULA, P. *see* YLI-HANKALA, A.
LUND. S. *see* ANDERSEN, P. H.
LUNDEBERG, T. *see* UVNÄS-MOBERG, K.
LUNDGREN, O. *see* JANSSON, M.

MAJUMDAR, R., CWIK, V. A., SOLONYNKO, G. & BROOKE, M. H. Relationship of oxypurine release to contractile failure in dinitrophenol-treated rat skeletal muscle, 249
MATTSSON, J. P. *see* FRYKLUND, J.
MATZEN, S., SECHER, N. H., KNIGGE, U., PAWELCZYK, J., PERKO, G., IVERSEN, H., BACH, F. W. & WARBERG, J. Effect of serotonin receptor blockade on endocrine and cardiovascular responses to head-up tilt in humans, 163
MAZ, V. N. *see* ALEXANDROV, YU. I.
MAZZOCCHIO, R. *see* KATZ, R.
MEDBØ, J. I. Glycogen breakdown and lactate accumulation during high-intensity cycling, 85
MELLANDER, A., ABRAHAMSSON, H., & SJÖVALL, H. Mechanisms behind cyclic changes in duodenal fluid transport in the fasting area, 475
MIZUSAWA, H. *see* OMOTE, M.
MONOD, H. *see* KAHN, J.-F.
MORRISON, J. B. *see* TAYLOR, N. A. S.
MORSING, P. *see* KURKUS, J.

NAKAGAWA, M. *see* OIKAWA, Y.
NÁÁSI, P. P. *see* VARRÓ, A.
NARVÁEZ, J. A., AQUIRRE, J. A., HÄRFSTRAND, A., ENEROTH, P., GANTEN, D., AGNATI, L. F. & FUXE, K. Immobilization stress induces vasodepressor and altered neuroendocrine responses in the adult stroke-prone spontaneously hypertensive male rat, 491
NILSSON, B.-O. *see* JANSSON, M.
NILSSON, H. *see* GUSTAFSSON, H.
NILSSON, I., SVENBERG, T. & HELLSTRÖM. P. M. Duodenal drainage reduces cycling frequency of the migrating motor complex in humans, 525
NINOMIYA, I. *see* YAMAZAKI, T.
NISHI, A., BERTORELLO, A. M. & APERIA, A. Renal Na^+, K^+-ATPase in Dahl salt-sensitive rats: K^+ dependence, effect of cell environment and protein kinases, 377
NOGUCHI, K. *see* OJIRI, Y.
NORMAN, B. *see* HELLSTEN-WESTING, Y.
NY, L. *see* TØTTRUP, A.

OIKAWA, Y., SHIRATO, K., SAKUMA, M., KATOH, A., NAKAGAWA, M., ISHIGAKI, H. & TAKISHIMA, T. The responses of left ventricular end-systolic pressure-diameter relationship to acute pressure overload induced by aortic constriction, 273
OJIRI, Y., NOGUCHI, K., CHIBANA, T. & SAKANASHI, M. Effects of adrenergic stimulants on the splenic diameter, haemaglobin content and haematocrit in anaesthetized dogs: determination of the adreneoceptor subtype responsible for changes in the splenic diameter, 31
OMOTE, M. & MIZUSAWA, H. The role of sarcoplasmic reticulum in enthothelium-dependent and endothelium-independent rhythmic contractions in the rabbit mesenteric artery, 15
ØSTGAARD, G. & REED, R. K. Hyaluronan turnover in the rat small intestine, 237
ØSTNES, J. E. & AAS, P. The effect of experimental frost-bite on the responses of rabbit ear-artery to adrenergic and electrical stimulation, 339

PAWELCZYK, J. *see* MATZEN, S.
PEDERSEN, O *see* ANDERSEN, P. H.
PÉNICAUD, A. *see* KATZ, R.
PERKO, G. *see* MATZEN, S.
PERSSON, A. E. G. *see* KURKUS, J.
PERSSON, M. G. & GUSTAFSSON, L. E. Allergen-induced airway obstruction in guinea-pigs is associated with changes in nitric oxide levels in exhaled air, 461
PETERSSON, J., RYMAN, T. & HÖGESTÄTT, E. D. Enhancement of depolarization-induced contractions after endothelium denudation is not related to an impaired production of nitric oxide or prostacyclin in the rabbit basilar artery, 467
PITON, A. *see* KAHN, J.-F.
POULSEN, J. *see* KIRKEBY, H. J.
POWERS, S. K. *see* LAWLER, J. M.

RAY, A. *see* LORTET, S.
REED, R.K, *see* ØSTGAARD, G.
RIPPE, B. *see* ZAKARIA, E. R.
RITTHALER, T. *see* SCHRICKER, K.
ROSENGREN, E. *see* JANSSON, M.
ROSSI, A. *see* KATZ, R.
ROSSI, A. *see* LORTET, S.
RUTLEN, D. L. *see* ILEBEKK, A.
RYMAN, T *see* PETERSSON, J.
RYNNING, S. E., HEXEBERG, E., BIRKELAND, S., WESTBY, J., HESSEVIK, I. & GRONG, K. Non-uniform recovery of performence in stunned myocardium evaluated by two-dimensional sonomicrometry, 441

Säfsten, B. & Flemström, G. Dopamine and vasoactive intestinal peptide stimulate cyclic adenosine-3′, 5′-monophosphate formation in isolated rat villus and crypt duodenocytes, 67
Sakai, A. *see* Asano, K.
Sakanashi, M. *see* Ojiri, Y.
Sakuma, M. *see* Oikawa, Y.
Sassard, J. *see* Lortet, S.
Schmitz, O. *see* Andersen, P. H.
Schricker, K., Ritthaler, T, Krämer, B. K. & Kurtz, A. Effect of endothelium-derived relaxing factor on renin secretion from isolated mouse renal juxtaglomerular cells, 347
Schürmann, A. *see* Kainulainen, H.
Secher, N. H. *see* Jacobsen, J.
Secher, N. H. *see* Matzen, S.
Sejersted, O. M. *see* Gullestad, L.
Shigenobu, K. *see* Agata, N.
Shirato, K. *see* Oikawa, Y.
Sjödin, B. *see* Balsom, P. D.
Sjödin, B. *see* Esbjörnsson, M.
Sjödin, B. *see* Hellsten-Westing, Y.
Sjövall, H. *see* Mellander, A.
Skarphedinsson, J. O. *see* Carlsson, S.
Söderlund, K. *see* Balsom, P. D.
Solberg, T. *see* Steigen, T. K.
Solonynko, G. *see* Majumdar, R.
Steigen, T. K., Tveita, T., Korvald, C, Solberg, T., Bjordal, E., Ytrehus, K. & Larsen, T. S. Substrate preference of isolated perfused rat hearts during hypothermia and rewarming, 143
Stjärne, L. *see* Bao, J. X.
Sundqvist, T. & Liu, S. M. Hydrogen peroxide stimulates endocytosis in cultured bovine aortic endothelial cells, 127
Svane, D. *see* Kirkeby, H. J.
Svenberg, T. *see* Nilsson, I.
Svenningson, P. *see* Johansson, B.
Sztuk, F. *see* Jacobsen, J.

Takishima, T. *see* Oikawa, Y.
Tanaka, H. *see* Agata, N.
Taylor, N. A. S. & Morrison, J. B. Static and dynamic pulmonary compliance during upright immersion, 413
Thams, P., Hedeskov, C. J. & Capito, K. Exogenous arachidonic acid inactivates protein kinase C in mouse pancreatic islets, 227
Thorén, P. *see* Carlsson, S.
Thorup, C. *see* Kurkus, J.
Tøien, Ø. Control of shivering and heart rate in incubating batam hens upon sudden exposure to cold eggs, 205
Tøttrup, A. *see* Kirkeby, H. J.
Tøttrup, A., Ny, L., Alm, P., Larsson, B., Forman, A. & Andersson, K.-E. The role of the L-arginine/nitric oxide pathway for relaxation of the human lower oesophageal sphincter, 451
Tvieta, T. *see* Steigen, T. K.

Uvnäs-Moberg, K., Bruzelius, G., Alster, P. & Lundeberg, T. The antinociceptive effect of non-noxious sensory stimulation is mediated partly through oxytocinergic mechanisms, 199
Uvnäs-Moberg, K., Lundeberg, T., Bruzelius, G. & Alster, P. Low doses of ethanol may induce anti-nociceptive effects via an oxytocinergic mechanism, 117

Varró, A., Nánási, P. P. & Lathrop, D. A. Potassium currents in isolated human atrial and ventricular cardiocytes, 133
Vilja, P. *see* Kainulainen, H.
Vincent, M. *see* Lortet, S.

Warberg, J. *see* Jacobsen, J.
Warberg, J. *see* Matzen, S.
Westby, J. *see* Rynning, S. E.
Westergren, I. & Johansson, B. B. Altering the blood-brain barrier in the rat by intercarotid infusion of polycations : a comparison between protamine, poly-L-lysine and poly-L-arginine, 99

Yamazaki, T. & Ninomiya, I. Noradrenaline contributes to modulation of the carotid sinus baroreflex in the nucleus tractus solitarii area of the rabbit, 1
Yli-Hankala, A., Loula, P., Annila, P., Lindgren, L. & Jäntti, V. Atropin abolishes electroencephalogram-associated heart-rate changes without an effect on respiratory sinus arrhythmia during anaesthethesia in humans, 435
Ytrehus, K. *see* Steigen, T. K.

Zakaria, E. R. & Rippe, B. Osmotic barrier properties of the rat peritoneal membrane, 355
Zimmer, H.-G. *see* Lortet, S.

Acta Physiol Scand 1993, **149**, 537–540

Subject Index

Acid, 59
ACTH, 163
Action potential, 331
Adenylate kinase, 405
Adrenal cortex, 23
Adrenal glands, 215
Adrenaline, 257, 293
Adrenergic receptor, 31
Afterload, 153
Aldosterone, 293
Allergy, 461
Alloxan, 215
α-blocker, 1
AMP deaminase, 405
Amperometry, 503
Anaesthetics, 435
Analgesic effects, 199
Angiotensin II, 323
ANP, 77
Anrep effect, 273
Anti-nociception, 117
Arachidonic acid, 227
Arginine metabolism, 451
Arterial baroreflex, 1
Arterial blood pressure, 121
Artery, 283, 339
Asthma, 461
ATP, 503
Atrial function, 157
Atrial natriuretic factor, 121
Atrioventricular block, 157
Atrioventricular pacing, 157
Atrium, 157
Atropine, 435, 483
Autoradiography, 365

Behaviour, 105
β-endorphin, 163
Bicarbonate, 59
Bicarbonate secretion, 67
Bicarbonate transport, 475
Birds, 205
Blood flow, 23, 257
Blood pressure, 7
Blood-brain barrier, 99
Bradycardia, 163
Brain, 221
Bromocriptine, 51
Bronchoconstriction, 461
Brood patch, 205
Bumetanide, 365

Ca^{2+} channels, 15
Calcium channels, 283
Capillary permeability, 355
Cardiac energy metabolism, 311
Cardiac muscle, 221
Cardiovascular control, 491
Cat, 59
Catecholamines, 7, 163
Caudate nucleus, 527
Cell isolation techniques, 133
Central hypovolaemia, 163
Central venous pressure, 293
Cerebral arteries, 467
Chloride secretion, 475
Cholera toxin, 483
Clamp, 91
Cold pressor test, 7
Colon sac, 365
Colonic mucosa, 365
Compliance, 413
Conscious dogs, 77
Constriction site, 273
Contraction, 503
Contractions, 59
Coronary blood flow, 303
Corpus cavernosum, 385
Cortisol, 163
Co-transmission, 503
Creatine, 421
Cyclic AMP, 41, 67
Cyclopiazonic acid, 15

Dahl rats, 377
Denervation, 119
Development, 331
De-acclimatization, 323
Diabetes, 215
Dialysis, 1
Diaphragm, 177
Diastolic dysfunction, 441
2,4-dinitrophenol, 249
Dopamine, 67, 527
Duodenum, 59, 67, 475

EDRF, 331
Electrical stimulation, 385
Electrochemical detection, 1
Electromyography, 205
Electrophysiology, 503
Endocytosis, 127
Endogenous serum albumin, 99
Endothelium, 15, 467
Enothelial cells, 127
Enteric nerves, 475

Enteric nervous system, 483
Enterocytes, 67
Ethanol, 105, 117
Exercise, 421, 427
Exercise pressor reflex, 419
Exercise training, 177
Extracellular matrix, 237

Fatty acid oxidation, 143
Fibre type transformation, 245
FOS, 527
Frost-bite, 339

Galanin, 215
Gallbladder, 247
Gastric fundus, 51
Gastrocnemius, 177
Glucose oxidation, 143
Glucose transport, 221, 393
GLUT1, 221
GLUT3, 221
GLUT4, 221, 393
Glycogen synthesis, 91
Guanethidine, 23
Guinea-pig, 331

H_2O_2, 127
Haematocrit, 31, 121
Haemoconcentration, 31
Haemoglobin, 31
Haloperidol, 51
Handgrip, 7
Heart, 435
Heart rate, 7, 205
Heart rate variability, 435
Heat stable enterotoxin of *Escherichia coli* (STa), 483
Hexamethonium, 483
High-performance liquid chromatography, 1
Hippocampus, 105
Histochemistry, 451
Human, 183, 245
Human cardiocytes, 133
Human skeletal muscle, 393
Hyaluronic acid, 237
Hyperpolarization, 467
Hypertension, 311
Hypothermia, 143, 249
Hypovolaemic shock, 293
Hypoxaemia, 303, 427
Hypoxanthine, 249, 405
Hypoxanthine phosphoribosyl transferase, 405
Hypoxic pulmonary vasoconstriction, 323

Immersion, 413
Immobilization stress, 491
Incubation, 205
Insulin, 215
Insulin secretion, 227
Insulin sensitivity, 91
Interdigestive motility, 525
Intestinal fluid secretion, 365
Intestinal motility, 475
Intestinal secretion, 59, 475
Isoflurane, 435

Juxtaglomerular cells, 331
Juxtaglomerular apparatus, 119

Kidney physiology, 119
Kinetics, 377, 503
K^+ channels, 15

Lactate, 257, 303
[^{14}C]lactate, 303
^{14}C-lactate, 427
Lactation, 51
Laser Doppler flowmeter, 23
Lidocaine, 247, 483
Lipid absorption, 237
Liver, 91
Lung tissue elasticity, 413
Lymph mesenteric, 237
Lyon strain, 311

Male, 245
Mean arterial pressure, 293
Methods, 413
Mice, 215
Micropuncture technique, 119
Migrating motor complex, 525
Molecular charge, 99
Monosynaptic reflex, 183
Motility, 525
Mucosal protection, 67
Muscle blood flow, 419
Muscle fatigue, 257
Muscle fibre type composition, 393
Muscle fibre types, 245
Muscle glucose, 85
Muscle glucose-6-phosphate, 85
Muscles, 91
Myocardial contraction, 153
Myocardial lactate release, 427
Myocardial stunning, 441
Myocardium, 331

NADPH, 177
NADPH diaphorase, 451
Na^+,K^+-ATPase, 377
Net fluid transport, 59
Neurons, 105
Nitric oxide, 247, 385, 461, 467
Non-adrenergic, 247, 451
Non-cholinergic, 247, 451
Non-noxious somatosensory stimulation, 199
Non-uniform, 441

Noradrenaline, 257, 283, 293, 503
Noradrenergic nerves, 339
NPPB, 365
Nucleus accumbens, 527

Oestrogen, 91
6-OH-dopamine, 527
Ornithine decarboxylase (ODC), 483
Oscillations, 283
Osmotic reflection coefficient, 355
Oxygen extraction, 303
Oxygen uptake, 85, 257
Oxytocin, 117, 199
Oxytocin antagonist, 117, 199

Pancreas, 215
Pancreatic islets, 227
Pancreatic polypeptide, 163, 293
Pancreatico-biliary output, 525
Parasympathetic nervous system, 435
Penile veins, 385
Performance, 421
Peripheral thermosensitivity, 205
Peritoneal dialysis, 355
Peritoneal fluid, 121
Peritoneal hydraulic conductance, 355
Peritoneal permeability, 355
Phosphatidylcholine, 41
Phosphofructokinase, 405
Phospholipase, 41
Physical training, 393
Pig, 121
^{31}P-NMR spectroscopy, 311
Polyamines, 483
Polycations, 99
Poly-L-arginine, 99
Poly-L-lysine, 99
Pore theory, 355
Post-stimulus time histogram, 183
Potassium channels, 133
Prazosin, 23
Pregnancy, 51
Pressure breathing, 413
Pre-load, 273
Progesterone, 91
Prolactin, 51, 163
Propranolol, 257
Protamine sulphate, 99
Protein binding, 365
Protein kinase, 377
Protein kinase C, 227
Pulmonary arterial mean pressure, 293
Pulmonary circulation, 323
Pulmonary mechanics, 413
Pulmonary wedge pressure, 293
Purine nucleoside phosphorylase, 405

Quinpirole, 67

Rabbit, 105, 339, 467
Rabbit mesenteric artery, 15
Rat, 23, 177, 283
Rat heart, 143
Rat tail artery, 503
Rats, 91
Recurrent inhibition, 183
Regional resistance, 23
Renal cortex, 377
Renal nerve activity, 1
Renal nerves, 119
Renin, 163
Renin releases, 331
Reperfusion, 441
Respiratory system, 323, 461
Rewarming, 143
Rhythmic contractions, 15
Ryanodine, 15

Sarcoplasmic reticulum, 15, 283
Serotonin, 51
Serum hormone levels, 491
Servo controlled volume expansion, 77
Shivering, 205
Signal transduction, 41
Skeletal muscle, 245, 249
SKF-38393, 67
Small intestine, 483, 525
Smooth muscle relaxation, 451
Sodium excretion, 77
Soleus, 177
Sonomicrometry, 31, 153, 441
Splanchnic nerve stimulation, 23
Spleen, 31
Spontaneously hypertensive rats (SHRSP), 491
Sprint training, 245
Static exercise, 419
Streptozotocin diabetes, 221
Stroke-prone, 491
Submandibular gland, 41
Supersensitivity, 527
Syncope, 163
Systemic venous pressure, 121
Systolic dysfunction, 441

T84, 365
Tail-flick test, 117
Temperature sensors, 205
Tetrodotoxin, 247
Thermoregulation, 205
Total body thermosensitivity, 205
Trimethaphan, 23
Tubuloglomerular feedback, 119

Unit activity, 105
Upper limb, 183
Uric acid, 249, 405
Urine production, 121

Vascular resistance, 257
Vasoactive intestinal polypeptide, 41
Vasomotion, 283
Vasopressin, 293
VIP, 67

Whole cell voltage clamp, 133

Xanthine oxidase, 249
^{133}Xenon washout method, 419